

**References Cited in NOAA Fisheries' December 14, 2004
Proposed Critical Habitat Designation for 13 Evolutionarily
Significant Units of Pacific Salmon and Steelhead (69 FR 74572)**

- Bakkala, R.G. 1970. Synopsis of biological data on the chum salmon, *Oncorhynchus keta* Walbaum 1792. FAO species synop. No. 41, U.S. Fish. Wild. Serv. circ. 315. 89 p.
- Bastasch, R., A. Bibao, and G. Sieglitz. 2002. Draft Willamette Subbasin Summary. Report Prepared for the Northwest Power Planning Council, dated May 17, 2002. (Available at: <http://www.cbfwa.org/>)
- Bax, N.J. 1983. The early migration of juvenile chum salmon (*Oncorhynchus keta*) through Hood Canal - its variability and consequences. Ph.D. Dissertation, Univ. of Wash, Seattle, WA. 196 p.
- Beamish, R.J., M. Folkes, R. Sweeting and C. Mahnken. 1998. Intra-annual changes in the abundance of coho, chinook, and chum salmon in Puget Sound in 1997. In Puget Sound Research Proceedings 1998, Puget Sound Water Quality Action Team, Olympia.
http://www.psat.wa.gov/Publications/98_proceedings/pdfs/4c_beamish.pdf
- Bishop, S. and A. Morgan (eds.). 1996. Critical habitat issues by basin for natural chinook salmon stocks in the coastal and Puget Sound areas of Washington State. Northwest Indian Fisheries Commission, Olympia, WA, 105 p.
- Bortleson, G.C., and N.P. Dion. 1979. Preferred and observed conditions for salmon in Ozette Lake and its tributaries, Clallam County, Washington. U.S. Geological Survey Water Resources Investigations 78-64.
- CALFED Bay-Delta Program. 2003. California Bay-Delta Authority 2003 Annual Report. (Available at <http://www.baydeltawatershed.org/>)
- California Spatial Information Library. 2004. GIS-related Data for State of California. (<http://www.gis.ca.gov/>)
- Crawford, B.A. 1997. Letter to M. Schiewe, dated April 25, 1997 (subject: Response to partial draft of NMFS review of the status of chum salmon). Wash. Dept. Fish and Wild., Olympia, WA. 62 p. + attachments
- Dlugokenski, C.E., W.H. Bradshaw, and S.R. Hager. 1981. An investigation of the limiting factors to Lake Ozette sockeye salmon production and a plan for their restoration. U.S. Fish and Wildlife Service, Fisheries Assistance Office, Olympia, WA.
- For the Sake of the Salmon (2004). Watershed Groups in California, Oregon, and Washington (<http://www.4sos.org/wsgroups/wsgroups.asp>)
- Forest Ecosystem Management Assessment Team (FEMAT). 1993. Forest ecosystem management: an ecological, economic, and social assessment. Report of the Forest Ecosystem Management Assessment Team. U.S. Government Printing Office 1993-793-071.

- Fraser, F.J., D.D. Bailey, and M.J. Wood. 1978. Big Qualicum River Salmon Development Project, Vol. 3. Experimental rearing of chum salmon juveniles (*Oncorhynchus keta*) in freshwater (1968-1970). Can. Fish. Mar. Serv. Tech. Rep. 752.
- Groot, C. and L. Margolis (editors). 1991. Pacific salmon life histories. Univ. B.C. Press, Vancouver, B.C., 564 p.
- Gustafson, R.G., T.C. Wainwright, G. A. Winans, F. W. Waknitz, L. Ted Parker, and R. S. Waples. 1997. Status Review of Sockeye Salmon from Washington and Oregon. NOAA Technical Memorandum NMFS-NWFSC-33.
- Hart, J.L. 1973. Pacific fishes of Canada. Fisheries Research Board of Canada, Bulletin No. 180. 740 p.
- Healey, M.C. 1982. Juvenile Pacific salmon in estuaries: the life support system. Pp. 315-341 in V.S. Kennedy (ed.) Estuarine Comparisons. Academic Press, New York, NY. 709 p.
- Interior Columbia Basin Ecosystem Management Project. 2003. GIS Spatial data layers available at www.icbemp.gov. (See also Quigley et al. 2001)
- Interior Columbia Basin Technical Recovery Team (ICBTRT). 2003. Independent Populations of Chinook, Steelhead, and Sockeye for Listed Evolutionarily Significant Units Within the Interior Columbia River Domain. Working draft of the ICBTRT dated July 2003.
- Independent Multidisciplinary Science Team (IMST). 2002. Recovery of wild salmonids in Western Oregon lowlands. A report of the Independent Multidisciplinary Science Team, Oregon Plan for Salmon and Watersheds. Tech. Rep. 2002-1 to the Oregon Plan for Salmon and Watersheds, Governor's Natural Resources Office, Salem, Oregon. 169 p.
- Iwamoto, R. N., B. A. Alexander, and W. K. Hershberger. 1984. Genotypic and environmental effects on the incidence of sexual precocity in coho salmon (*Oncorhynchus kisutch*). Aquaculture 43(1984):105-121.
- Johnson, S. L., M. F. Solazzi, and J. D. Rogers. 1993. Development and evaluation of techniques to rehabilitate Oregon's wild salmonids. Oreg. Dep. Fish Wildl. Fish Research Proj. F-125-R-5, Annual Rep, 12 p. (Available from Oregon Department of Fish and Wildlife, P.O. Box 59, Portland, OR 97207.)
- Johnson, O.W., W.S. Grant, R.G. Kope, K. Neely, F.W. Waknitz, and R.S. Waples. 1997. Status review of chum salmon from Washington, Oregon, and California. U.S. Dept. Commerce, NOAA Tech. Memo. NMFS-NWFSC-32, 280 p.
- Kaputa, M. 2002. Draft Lake Chelan Subbasin Summary. Report Prepared for the Northwest Power Planning Council, dated May 17, 2002. (Available at <http://www.cbfwa.org/>)
- Kostow, K. (editor). 1995. Biennial Report on the Status of Wild Fish in Oregon. OR. Dep. Fish Wildl. Rep., 217 p. + app. December 1995. (Available at:

- <http://www.dfw.state.or.us/ODFWhtml/Research%26Reports/WildFishRead.html>
)
- LaRiviere, M.G. 1991. The Ozette Lake sockeye salmon enhancement program. Makah Fisheries Management Department, Unpubl. Rep., 9 p.
- Lawson, P.W., E. Bjorkstedt, C. Huntington, T. Nickelson, G.L. Reeves, H.A. Stout, and T.C. Wainwright. 2004. Identification of historical populations of coho salmon (*Oncorhynchus kisutch*) in the Oregon Coast Evolutionarily Significant Unit. April 16, 2004 comanager's draft prepared by the Oregon workgroup of the Oregon/Northern California Coast Technical Recovery Team.
- Leopold, L.B., M.G. Wolman, and J.P. Miller. 1992. Fluvial Processes in Geomorphology. W.H. Freeman and Company. San Francisco and London. 522 p.
- Lower Columbia Fish Recovery Board (LCFRB). 2003. Draft Lower Columbia Recovery Plan Technical Foundation. Working draft dated July 22, 2003. (Available from <http://www.lcfrb.gen.wa.us>)
- Makah Fisheries Management (MFM). 2000. Lake Ozette Sockeye Hatchery and Genetic Management Plan. Biological Assessment Section 7 Consultation. Bureau of Indian Affairs.
- Marriott, D., and 27 contributors. 2002. Lower Columbia River and Columbia River Estuary Subbasin Summary. Report Prepared for the Northwest Power Planning Council, dated May 17, 2002. (Available at: <http://www.cbfwa.org/>)
- Marshall, A.R., C. Smith, R. Brix, W. Dammers, J. Hymer, and L. LaVoy. 1995. Genetic diversity units and major ancestral lineages for chinook salmon in Washington. In C. Busack and J. B. Shaklee (eds.), Genetic diversity units and major ancestral lineages of salmonid fishes in Washington, p. 111-173. Wash. Dep. Fish Wildl. Tech. Rep. RAD 95-02. (Available from Washington Department of Fish and Wildlife, 600 Capital Way N., Olympia WA 98501-1091)
- Martin, D.J., D.R. Glass, C.J. Whitmus, C A. Simenstad, D.A. Milward, E.C. Volk, M.L. Stevenson, P. Nunes, M. Savvoie, and R.A. Grotefendt. 1986. Distribution, seasonal abundance, and feeding dependencies of juvenile salmon and non-salmonid fishes in the Yukon River Delta. NOAA, OCSEAP Final Rep. 55(1988):381-770. Avail. Arctic Environment Assessment Center, 222 W. 8th Ave., No. 55, Anchorage, AK 99513.
- Martin, J. 1998. Factors influencing production of Willamette River salmonids and recommendations for conservations actions. Corvallis, Oregon
- Mathews, S.B., and H.B. Senn. 1975. Chum salmon hatchery rearing in Japan and in Washington. Wash. Sea Grant Publ. WSG-TA. 75-3. 21 pp.
- Mazer, J.I., and M.P. Shepard. 1962. Marine survival, distribution and migration of pink salmon off the British Columbia coast. H.R. MacMillan Lectures in Fisheries, Univ. Brit. Col., Vancouver, B.C., Canada, p. 113-121.
- McClure, M. (NOAA Fisheries, Northwest Fisheries Science Center) 2004. [pers comm.]

- McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-42, 156p. Available on the Internet at:
<http://www.nwfsc.noaa.gov/publications/techmemos/tm42/tm42.pdf>
- McElhany, P., T. Backman, C. Busack, S. Heppell, S. Kolmes, A. Maule, J. Myers, D. Rawding, D. Shively, and C. Steward. 2002. Willamette/Lower Columbia Pacific salmonid viability criteria. Draft report from the Willamette/Lower Columbia Technical Recovery Team. December 2002.
- McElhany, P., T. Backman, C. Busack, S. Heppell, S. Kolmes, A. Maule, J. Myers, D. Rawding, D. Shively, A. Steel, and C. Steward. 2003. Interim report on viability criteria for Willamette and Lower Columbia basin Pacific salmonids. Report from the Willamette/Lower Columbia Technical Recovery Team. NMFS-NWFSC. March 2003.
- Montgomery, D.R., G.E. Grant, and K. Sullivan. 1995. Watershed Analysis as a Framework for Implementing Ecosystem Management. Water Resources Bulletin, American Water Resources Association. June 1995. Vol. 31, No. 3:369-386.
- Moring, J. R., and R. L. Lantz. 1975. The Alsea watershed study: effects of logging on the aquatic resources of three headwater streams of the Alsea River, Oregon. Part I- Biological studies. Oreg. Dep. Fish Wildl., Fish. Res. Rep. 9, 66 p.
- Myers, J. M., R. G. Kope, B. J. Bryant, D. Teel, L. J. Lierheimer, T. C. Wainwright, W. S. Grant, F. W. Waknitz, K. Neely, S. T. Lindley, and R. S. Waples. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California. U.S. Dep. Commer., NOAA Tech. Memo NMFS-NWFSC-35, 443 p.
- Myers, J., C. Busack, D. Rawding, and A. Marshall. 2003. Historical population structure of Willamette and lower Columbia River basin Pacific salmonids. Willamette/Lower Columbia River Technical Recovery Team report. (October 2003). (Available at http://www.nwfsc.noaa.gov/trt/popid_report.htm)
- National Marine Fisheries Service (NMFS). 1996. Making Endangered Species Act Determinations of Effect for Individual or Grouped Actions at the Watershed Scale. August 1996. (Available at http://www.nwr.noaa.gov/1habcon/habweb/habguide/matrix_1996.pdf)
- NMFS 1999. The Habitat Approach: Implementation of Section 7 of the Endangered Species Act for Actions Affecting the Habitat of Pacific Anadromous Salmonids, dated August 26, 1999. (Available at <http://www.nwr.noaa.gov/1habcon/habweb/habpub.htm>)
- NMFS, 2004a. Initial Assessment of NOAA Fisheries' Critical Habitat Analytical Review Teams For 13 Evolutionarily Significant Units of Pacific Salmon and O. mykiss. NOAA Fisheries Northwest Region Report. October 2004. (Available

- from NOAA Fisheries at
<http://www.nwr.noaa.gov/1salmon/salmesa/crithab/CHsite.htm>)
- NMFS, 2004b. Memo from M. Longenbaugh (NOAA Fisheries) Through S. Landino (NOAA Fisheries) to D. Darm (NOAA Fisheries) re: review of integrated natural resource management plans in WA. September 29, 2004.
- NMFS, 2004c. Draft Economic Analysis of Critical Habitat Designation for 13 Pacific Salmon and O. mykiss ESUs. NOAA Fisheries Northwest Fisheries Science Center Processed Report. October 2004. (Available from NOAA Fisheries at <http://www.nwr.noaa.gov/1salmon/salmesa/crithab/CHsite.htm>)
- NMFS, 2004d. Designation of Critical Habitat for West Coast Salmon and Steelhead: Draft 4(b)(2) Report. NOAA Fisheries Northwest Region Report. October 2004. (Available from NOAA Fisheries at <http://www.nwr.noaa.gov/1salmon/salmesa/crithab/CHsite.htm>)
- NMFS, 2004e. Memo from G. Sims (NOAA Fisheries) to D. Darm (NOAA Fisheries) re: critical habitat and Indian lands. September 28, 2004.
- NOAA Fisheries. 2003. Preliminary conclusions regarding the updated status of listed ESUs of West Coast salmon and steelhead. Report of the West Coast Salmon Biological Review Team dated February 19, 2003.
- National Research Council. 1996. Upstream: Salmon and Society in the Pacific Northwest. Committee on Protection and Management of Pacific Northwest Anadromous Salmonids. National Academy Press, Washington, D.C.
- Nickelson, T.E. and P.W. Lawson. 1998. Population viability of coho salmon (*O. kisutch*) in Oregon coastal basins: application of a habitat-based life history model. Can. J. Fish. Aquat. Sci. 55:2383-2392.
- Northwest Power Planning Council. 1999. Technical Guide for Subbasin Planners. Council Document 2001-20. (Available at <http://www.nwppc.org/library/2001/2001-20.htm>)
- Office of Management and Budget (OMB). 2003. U.S. Office of Management and Budget, "Regulatory Analysis," Circular A-4, September 17, 2003.
- Olsen, E., P. Pierce, M. McLean, and K. Hatch. 1992. Stock Summary Reports for Columbia River Anadromous Salmonids, Volume I: Oregon Subbasins Below Bonneville Dam for the Coordinated Information System. Report to Bonneville Power Administration, Contract No. 1989BP94402, Project No. 198810800, 991 electronic pages (BPA Report DOE/BP-94402-1)
- Oregon Plan for Salmon and Watersheds. 2001. 2001 Update on the Oregon Plan for Salmon and Watersheds. (Available at: <http://www.oregon-plan.org/archives/2001AnnReport/index.html>)
- Oregon Department of Fish and Wildlife (ODFW). 1990a. Coast Fork and Long Tom Rivers, Willamette River subbasin salmon and steelhead production plan. Columbia Basin System Planning, ODFW, Portland, Oregon.

- ODFW. 1990b. Coast Range, Willamette River subbasin salmon and steelhead production plan. Columbia Basin System Planning, ODFW, Portland, Oregon.
- ODFW. 1990c. McKenzie River subbasin salmon and steelhead production plan. Columbia Basin System Planning, ODFW, Portland, Oregon.
- ODFW. 1990d. Middle Fork Willamette River, Willamette River subbasin salmon and steelhead production plan. Columbia Basin System Planning, ODFW, Portland, Oregon.
- ODFW. 1990e. Santiam and Calapooia Rivers, Willamette River subbasin salmon and steelhead production plan. Columbia Basin System Planning, ODFW, Portland, Oregon.
- ODFW. 1990f. Willamette mainstem, Willamette River subbasin salmon and steelhead production plan. Columbia Basin System Planning, ODFW, Portland, Oregon.
- ODFW. 2003a. Oregon Salmon and Steelhead Habitat Distribution. Natural Resources Information Management Program. (Available at: <http://rainbow.dfw.state.or.us/nrimp/>)
- ODFW. Oregon Salmon and Steelhead Habitat Distribution at 1:24,000 Scale. Natural Resources Information Management Program. (Available at: <http://rainbow.dfw.state.or.us/nrimp/>)
- ODFW. 2004a. Letter from C. Corrarino (ODFW) to S. Stone (NOAA Fisheries) re: ODFW comments on NOAA Fisheries' preliminary CHART assessment for the Upper Willamette dated May 4, 2004.
- ODFW. 2004b. Letter from K. Schroeder (ODFW) to S. Stone (NOAA Fisheries) re: clarification of ODFW comments on NOAA Fisheries' preliminary CHART assessment for the Upper Willamette dated May 25, 2004.
- Orell, R. 1976. Skagit chinook race differentiation study. NMFS Project Report 1-98-R, 53 p. (Available from NOAA Fisheries, 2725 Montlake Blvd. E., Seattle, WA 98122)
- Pacific Coast Salmon Fishery Management Plan. 2000. Amendment 14 to the Pacific Coast Salmon Plan (1997). (Available at <http://www.pcouncil.org/salmon/salfmp/a14.html>)
- Pacific Fishery Management Council. 1999. Amendment 14 to the Pacific Coast Salmon Plan (1997), Appendix A: Identification and Description of Essential Fish Habitat, Adverse Impacts, and Recommended Conservation Measures for Salmon. (Available at <http://www.pcouncil.org/salmon/salfmp/a14.html>)
- Parkhurst, Z.E., F.G. Bryant, and R.S. Nielson. 1950. Survey of the Columbia River and its tributaries. Part 3. USFWS Special Scientific Report–Fisheries, No. 36, 103 p.
- Peterman, R.M. 1978. Testing for density-dependent marine survival in Pacific salmonids. J. Fish. Res. Board Can. 35:1434-1450.
- Pritchard, A.L. and A.L. Tester. 1944. Food of spring and coho salmon in British Columbia. Fish Res. Board Canada Bull. 65. 23 p.

- Puget Sound Nearshore Ecosystem Restoration Program. 2003. Guidance for protection and restoration of the nearshore ecosystems of Puget Sound. Draft 5 of a report prepared in support of the Puget Sound Nearshore Ecosystem Restoration Program by the Nearshore Science Team. Dated May 2, 2003 (Available at <http://www.pugetsoundnearshore.org>)
- Puget Sound Shared Strategy (2002). A Shared Strategy For Recovery of Salmon In Puget Sound. Revised Draft, June 29, 2001 with Step Dates Revised September 25, 2002. (Available at: <http://www.sharedsalmonstrategy.org/files/SharedStrategyDraft9.25.02.pdf>)
- Quigley, T., R. Gravenmier, and R. Graham. 2001. The Interior Columbia Basin Ecosystem Management Project: project data. Station Misc. Portland, OR: USDA, Forest Service, Pacific NW Research Station
- Quinn, M. 2001. Draft Crab Creek Subbasin Summary. Report Prepared for the Northwest Power Planning Council, dated August 3, 2001. (Available at <http://www.cbfwa.org/>)
- Regional Ecosystem Office. 2004. GIS Spatial data layers available at www.reo.gov
- Reiser, D.W. and T.C. Bjornn. 1979. Influence of forest and rangeland Management on anadromous fish habitat in the western United States and Canada. 1. Habitat requirements of anadromous salmonids, PNW-96, 54 pp.
- Rodgers, J. D., S. L. Johnson, T. E. Nickelson, and M. F. Solazzi. 1993. The seasonal use of natural and constructed habitat by juvenile coho salmon (*Oncorhynchus kisutch*) and preliminary results from two habitat improvement projects on smolt production in Oregon coastal streams. In L. Berg and P. W. Delaney (eds.), Proceedings of the Coho Workshop, Nanaimo, B. C., May 26-28, 1992, p. 344-351. (Available from Department of Fisheries and Oceans, Habitat Management Sector, Policy and Information Unit, 327-555 West Hastings Street, Vancouver, BC V6B 5G3.)
- Rosgen, D.L. (1996). Applied River Morphology. Wildland Hydrology Books, Pagosa Springs, Colorado.
- Ruckelshaus, M., K. Currens, R. Fuerstenberg, W. Graeber, K. Rawson, N. Sands, J. Scott, J. Doyle. 2001. Independent Populations of Chinook Salmon in Puget Sound. April 2001 Memo from Puget Sound Technical Recovery Team.
- Ruckelshaus, M., K. Currens, R. Fuerstenberg, W. Graeber, K. Rawson, N. Sands, J. Scott. 2002. Planning Ranges and Preliminary Guidelines for the Delisting and Recovery of the Puget Sound Chinook Salmon Evolutionarily Significant Unit. April 2002 Memo from Puget Sound Technical Recovery Team.
- Ruckelshaus, M., K. Currens, W. Graeber, R. Fuerstenberg, K. Rawson, N. Sands, and J. Scott. 2004. Independent Populations of Chinook Salmon in Puget Sound. June 25, 2004 Final Draft from Puget Sound Technical Recovery Team.
- Sakuramoto, K., and S. Yamada. 1980. A study on the planting effect of salmon. 1. A mathematical model for the derivation of their rate of return and its applications. Bull. Jpn. Soc. Sci. Fish. 46(6):653-661.

- Salo, E.O. 1991. Life history of chum salmon, *Oncorhynchus keta*. In C. Groot and L. Margolis (editors), Pacific salmon life histories, p. 231-309. Univ. B.C. Press, Vancouver, B.C.
- Scott, W.B. and E.J. Crossman. 1973. Freshwater fishes of Canada. Fisheries Research Board of Canada, Bulletin No. 184. 966 p.
- Seaber, P.R., F.P. Kapinos, and G.L. Knapp. 1986. Hydrologic Unit Maps. U.S. Geological Survey Water-Supply Paper 2294.
- Sieglitz, G., and 9 co-contributors. 2002. Draft Sandy Subbasin Summary. Report Prepared for the Northwest Power Planning Council, dated May 17, 2002. (Available at: <http://www.cbfwa.org/>)
- Silverstein, J. T., and W. K. Hershberger. 1992. Precocious maturation in coho salmon (*Oncorhynchus kisutch*): Estimation of the additive genetic variance. J. Heredity 83:282-286.
- Simenstad, C.A., K.L. Fresh, and E.O. Salo. 1982. The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: an unappreciated function. In: V. Kennedy, editor. Estuarine comparisons. Academic Press, New York (343-364).
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis, Oregon. (Available at <http://www.nwr.noaa.gov/1habcon/habweb/habguide/ManTech/front.htm>)
- StreamNet, 2003. Salmon and steelhead links/maps/data located at the Pacific States Marine Fisheries Commission's website at <http://www.streamnet.org>.
- Tabor, R.A., J.A. Scheurer, H.A. Gearns, and E.P. Bixler. 2002. Nearshore habitat use by juvenile chinook salmon in lentic systems of the Lake Washington basin. Annual Report 2002. Available from U.S. Fish and Wildlife Service, Lacey, WA.
- Talayco, N. 2002. Draft Okanogan/Similkameen Subbasin Summary. Report Prepared for the Northwest Power Planning Council, dated May 17, 2002. (Available at <http://www.cbfwa.org/>)
- Turner, R. 1995. WDFW's comments to NMFS on "Preliminary Conclusions of the Review of the Status of Chum Salmon (*Oncorhynchus keta*) from Washington, Oregon, and California under the U.S. Endangered Species Act", August 4, 1995. Wash. Dept. Fish and Wild. Olympia, WA. 29 p.
- Wade, G. 2000. Salmon and Steelhead Habitat Limiting Factors, WRIA 26 (Cowlitz). Washington State Department of Ecology.
- Wade, G. 2000. Salmon and Steelhead Habitat Limiting Factors, WRIA 27 (Lewis). Washington State Department of Ecology.
- Washington Department of Ecology. 2004. GIS Spatial data layers available at <http://www.ecy.wa.gov/services/gis/data/data.htm>

- Washington Department of Fisheries, Washington Department of Wildlife, and Western Washington Treaty Indian Tribes. 1992. 1992 Washington State Salmon and Steelhead Stock Inventory. March 1993. (Available at: <http://wdfw.wa.gov/fish/sassi/sassi.htm>)
- Washington Department of Fish and Wildlife (WDFW) and Western Washington Treaty Indian Tribes (WWTIT). 1993. 1993 Washington State salmon and steelhead stock inventory (SASSI). WDFW, Olympia, WA, 212p.
- Washington Department of Fish and Wildlife (WDFW). 2003. "Fishdist: 1:24,000 (24K) and 1:100,000 (100K) Statewide Salmonid Fish Distribution". GIS data layer. (M. Hudson, data manager). Available from Washington Department of Fish and Wildlife, 600 Capitol Way N, Olympia WA 98501-1091.
- Washington Department of Fish and Wildlife [WDFW] and Point No Point Treaty Tribes [PNPTT]. 2000. Summer Chum Salmon Conservation Initiative – An Implementation Plan to Recover Summer Chum in the Hood Canal and Strait of Juan de Fuca Region. Washington Department of Fish and Wildlife. Olympia, WA. 800 p. Available at: <http://wdfw.wa.gov/fish/chum/chum.htm>
- Williams, G.D., R.M. Thom, M.C. Miller, D.L. Woodruff, N.R. Evans, and P.N. Best. 2003. Bainbridge Island Nearshore Assessment: Summary of Best Available Science. PNWD-3233. Prepared for the City of Bainbridge Island, Bainbridge Island, WA, by Battelle Marine Sciences Laboratory, Sequim, WA.
- Willamette National Forest. 1994. Blowout Watershed Analysis. Willamette National Forest, Detroit Ranger District, October 1994.
- Willamette National Forest. 1995. Upper North Santiam Watershed Analysis. Willamette National Forest, Detroit Ranger District, August 1995.
- Willamette National Forest. 1996. Breitenbush Watershed Analysis. Willamette National Forest, Detroit Ranger District, October 1996.
- Willamette National Forest. 1997. Detroit Tributaries Watershed Analysis. Willamette National Forest, Detroit Ranger District, November 1997.
- Ziller, J., S. Mamoyac, and S. Knapp. 2002. Analyses of releasing marked and unmarked spring chinook salmon above U.S. Army Corps of Engineers flood control projects in the Willamette Valley. Oregon Department of Fish and Wildlife, South Willamette Watershed District report dated April 15, 2002. 17 p.